

Profile system

- ☐ Glass folding door with thermally insulated aluminum profiles
- ☐ Bottom-loaded construction
- ☐ The construction depth of the profiles is 55 mm
- ☐ Option of flush or weathered bottom track
- ☐ The flush bottom track is particularly suitable for use in „Barrier-free dwellings“ according to DIN 18 025
- ☐ Panel open to the inside or outside
- ☐ Opening of panels by sliding to one side or to both sides
- ☐ Flush running and guide tracks
- ☐ Height variations and expansions may be compensated

Test

- ☐ U_w up to 1,5 W/m²k (with glazing $U_g = 0,7$ W/m²k)
- ☐ Air permeability class 4 according to EN 12207
- ☐ Rain tightness class E900 according to EN 12208
- ☐ Resistance to wind load class B4 according to EN 12210
- ☐ Airborne sound insulation value $R_w = 36$ dB according to DIN EN ISO 140-3
- ☐ Burglar-resistance up to resistance class 2 (WK2)

Fittings

- ☐ All fittings are concealed within the profiles
- ☐ Low-maintenance, non-corroding and failsafe hardware components
- ☐ Locking of panels in top and bottom track and/or via mushroom head-lock engaging into the frame or adjacent panel
- ☐ Locking and unlocking of panels via flat handles with locking device for burglar resistance
- ☐ Optionally fitted with different lock types
- ☐ Hinges are secured against knocking-out of the pivot pins (burglar resistance)
- ☐ An open turn panel may be securely fixed to the adjacent panel by panel catchers

Running assembly

- ☐ Easy adjustment due to a height-adjustable carriage system
- ☐ The running assemblies are located above the water drainage area
- ☐ Low-noise, wear-, heat- and cold-resistant rollers

Sealing and ventilation

- ☐ Using EPDM gaskets at two levels guarantees rain- and wind-proofness

Glazing

- ☐ A glazing configuration between 8 mm to 36 mm is possible
- ☐ Subsequent replacement of panes without difficulty



Testreport No.23-21/09E, No. 40-29/09 and No. 40-30/09



Testreport ATT 11.11.801.01



tested SUNFLEX Quality

SG - Bauakustik


Institut für schalltechnische Produktoptimierung




Testreport 1286-001-10

Corner angles 90°-180° with or without corner post (only available with special corner post/special design!)


Typ I




Typ A



Typ I




Typ A



Segmented systems (polygon up to 3,4° (176,6°) possible per segment!)

Typ I




Typ A




Corner angles 90°-180°

Typ I



Typ A



Other floor plan geometries upon request

Typ A = Outward opening of panels Typ I = Inward opening of panels



Safety

The panels are locked and unlocked by means of a user-friendly single-handed manipulation of robust flat handles. For additional safety, different types of locks are available.




Mushroom head lock

For optimal tightness and burglar resistance the doorway panel (turn panel) is laterally being connected to the frame or the adjacent panel through a mushroom head lock.



Safety function panel catcher

In any opening position of the folding system an open turn panel may be safely locked to the adjacent panel by means of safety function panel catchers and be carried along in a controlled way.




Burglar resistance

All external hinges are additionally secured by means of a safety screw against knocking out of the hinge bolts.




Proper handle series

Handles matching the profile design guarantee a harmonized overall picture of the folding system in closed state and a small panel package in open state.




Twin-Lock locking mechanism

To guarantee additional safety, the optionally available twin-lock locking mechanism offers a maximum of security.




Height compensation

The height of the installed folding system may be easily adjusted by a few hand grips, only – this is important in case of eventual structure sagging.




Assembly

The assembly shoes allow a fast and trouble-free assembly of the frame and a fine adjustment of the vertical frame profiles in the closing range.




Details at even panel partition in one direction



Details at even and uneven panel partition in two directions

Panel size diagram







Ref.	Section	Description	Page
--	SF55-000	Vertical-Section, glazing beads designs (softline + square - edge)	6
F	SF55-001	Vertical-Section, connection bottom track / inside folding	6
F	SF55-003	Vertical-Section, connection bottom track / outside folding	6
F	SF55-015+005	Vertical-Section, connection flush bottom track / inside folding	6
F	SF55-016	Vertical-Section, connection flush bottom track / outside folding	7
F	SF55-015a	Vertical-Section, connection flush bottom track / bottom door seal / inside folding	7
F	SF55-016a	Vertical-Section, connection flush bottom track / bottom door seal / outside folding	7
F	SF55-017	Vertical-Section, connection flush bottom track	7
A	SF55-002	Vertical-Section, connection top track / inside folding	8
A	SF55-004	Vertical-Section, connection top track / outside folding	8
--	SF55-012	Vertical-Section, tilt and turn element	8
--	SF55-013	Vertical-Section, tilt and turn element	8
F	SF55-007	Vertical-Section, strengthening profile for balustrade / inside folding	9
A	SF55-008	Vertical-Section, strengthening profile for overhead light / inside folding	9
A	SF55-009	Vertical-Section, connection top track overhead light / inside folding	9
E	SF55-101	Horizontal-Section, blind frame - panel closing section / inside folding	9
E	SF55-102	Horizontal-Section, blind frame - panel closing section / outside folding	10
C	SF55-103	Horizontal-Section, panel - panel / hinge outside	10
D	SF55-104	Horizontal-Section, panel - panel / hinge inside	10
B	SF55-105	Horizontal-Section, vertical post - panel / hinge inside	10
B	SF55-106	Horizontal-Section, vertical post - panel / hinge outside	11

Ref.	Section	Description	Page
--	SF55-107	Horizontal-Section, midrail	11
G	SF55-108	Horizontal-Section, panel - panel closing section	11
E	SF55-109	Horizontal-Section, frame extension 35 mm	11
E	SF55-110	Horizontal-Section, frame extension 70 mm	12
E	SF55-111	Horizontal-Section, 90°- connection profile	12
E	SF55-112	Horizontal-Section, 135°- connection profile	12
D	SF55-113	Horizontal-Section, sliding post / hinge outside	12
D	SF55-121	Horizontal-Section, sliding post / hinge inside	13
D	SF55-114	Horizontal-Section, sliding post incl. strengthening / hinge outside	13
D	SF55-122	Horizontal-Section, sliding post incl. strengthening / hinge inside	13
G	SF55-115	Horizontal-Section, closing section - sliding post (e.g. 1L/2R) / outside folding	13
G	SF55-116	Horizontal-Section, closing section - sliding post (e.g. 1L/2R) / inside folding	14
--	SF55-117	Horizontal-Section, blind frame - panel closing section incl. sliding post (e.g. 2R) / outside folding	14
--	SF55-118	Horizontal-Section, blind frame - panel closing section incl. sliding post (e.g. 2R) / inside folding	14
--	SF55-119	Horizontal-Section, profil section - sliding post(e.g. 2L/2R) / outside folding	14
--	SF55-120	Horizontal-Section, profil section - sliding post(e.g. 2L/2R) / inside folding	15





<div data-bbox="132 168 172 212">I</div>	<div data-bbox="794 168 834 212">F</div>
<div data-bbox="124 1059 528 1126">Description: Vertical-Section, glazing beads designs (softline + square - edge)</div> <div data-bbox="539 1059 770 1126">System: SF55 Detail-No.: SF55-000</div>	<div data-bbox="790 1059 1193 1126">Description: Vertical-Section, connection bottom track / inside folding</div> <div data-bbox="1204 1059 1436 1126">System: SF55 Detail-No.: SF55-001</div>
<div data-bbox="132 1153 172 1198">F</div>	<div data-bbox="794 1153 834 1198">F</div>
<div data-bbox="124 2045 528 2112">Description: Vertical-Section, connection bottom track / outside folding</div> <div data-bbox="539 2045 770 2112">System: SF55 Detail-No.: SF55-003</div>	<div data-bbox="790 2045 1193 2112">Description: Vertical-Section, connection flush bottom track / inside folding</div> <div data-bbox="1204 2045 1436 2112">System: SF55 Detail-No.: SF55-005 SF55-015</div>

<p>F</p> <p>OUTSIDE</p> <p>INSIDE</p>	<p>F</p> <p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Vertical-Section, connection flush bottom track / outside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-016</p>	<p>Description: Vertical-Section, con.flush bottom track / bottom door seal / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-015a</p>
<p>F</p> <p>OUTSIDE</p> <p>INSIDE</p>	<p>F</p> <p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Vertical-Section, con.flush bottom track / bottom door seal / outside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-016a</p>	<p>Description: Vertical-Section, connection flush bottom track</p> <p>System: SF55</p> <p>Detail-No.: SF55-017</p>





Technical modifications and erros reserved.

<p>F</p>  <p>OUTSIDE</p> <p>INSIDE</p>	<p>A</p>  <p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Vertical-Section, strengthening profile for balustrade / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-007</p>	<p>Description: Vertical-Section, strengthening profile for overhead light / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-008</p>
<p>A</p>  <p>OUTSIDE</p> <p>INSIDE</p>	<p>E</p>  <p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Vertical-Section, connection top track overhead light / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-009</p>	<p>Description: Horizontal-Section, blind frame - panel closing section / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-101</p>

<p>E OUTSIDE</p> <p>INSIDE</p>	<p>C OUTSIDE</p> <p>INSIDE</p>
<p>Description: Horizontal-Section, blind frame - panel closing section / outside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-102</p>	<p>Description: Horizontal-Section, panel - panel / hinge outside</p> <p>System: SF55</p> <p>Detail-No.: SF55-103</p>
<p>D OUTSIDE</p> <p>INSIDE</p>	<p>B OUTSIDE</p> <p>INSIDE</p>
<p>Description: Horizontal-Section, panel - panel / hinge inside</p> <p>System: SF55</p> <p>Detail-No.: SF55-104</p>	<p>Description: Horizontal-Section, vertical post - panel / hinge inside</p> <p>System: SF55</p> <p>Detail-No.: SF55-105</p>

<div data-bbox="172 174 210 219" data-label="Text">B</div> <div data-bbox="443 174 523 201" data-label="Text">OUTSIDE</div>  <div data-bbox="443 1008 523 1034" data-label="Text">INSIDE</div> <div data-bbox="164 1059 531 1131" data-label="Text"> <p>Description: Horizontal-Section, vertical post - panel / hinge outside</p> </div> <div data-bbox="579 1059 770 1131" data-label="Text"> <p>System: SF55 Detail-No.: SF55-106</p> </div>	<div data-bbox="834 174 873 219" data-label="Text">--</div> <div data-bbox="1114 174 1193 201" data-label="Text">OUTSIDE</div>  <div data-bbox="1114 1008 1193 1034" data-label="Text">INSIDE</div> <div data-bbox="826 1059 1193 1131" data-label="Text"> <p>Description: Horizontal-Section, midrail</p> </div> <div data-bbox="1241 1059 1449 1131" data-label="Text"> <p>System: SF55 Detail-No.: SF55-107</p> </div>
<div data-bbox="172 1167 210 1211" data-label="Text">G</div> <div data-bbox="443 1167 523 1193" data-label="Text">OUTSIDE</div>  <div data-bbox="443 1993 523 2020" data-label="Text">INSIDE</div> <div data-bbox="164 2045 531 2101" data-label="Text"> <p>Description: Horizontal-Section, panel - panel closing section</p> </div> <div data-bbox="579 2045 770 2116" data-label="Text"> <p>System: SF55 Detail-No.: SF55-108</p> </div>	<div data-bbox="834 1167 873 1211" data-label="Text">E</div> <div data-bbox="1114 1167 1193 1193" data-label="Text">OUTSIDE</div>  <div data-bbox="1114 1993 1193 2020" data-label="Text">INSIDE</div> <div data-bbox="826 2045 1193 2101" data-label="Text"> <p>Description: Horizontal-Section, frame extension 35 mm</p> </div> <div data-bbox="1241 2045 1449 2116" data-label="Text"> <p>System: SF55 Detail-No.: SF55-109</p> </div>

Technical modifications and erros reserved.

<div data-bbox="164 168 204 212">D</div> <div data-bbox="443 168 523 197">OUTSIDE</div>  <div data-bbox="443 1003 523 1032">INSIDE</div> <div data-bbox="164 1055 566 1108">Description: Horizontal-Section, sliding post / hinge inside</div> <div data-bbox="577 1055 805 1131">System: SF55 Detail-No.: SF55-121</div>	<div data-bbox="837 168 877 212">D</div> <div data-bbox="1114 168 1193 197">OUTSIDE</div>  <div data-bbox="1114 1003 1193 1032">INSIDE</div> <div data-bbox="829 1055 1232 1131">Description: Horizontal-Section, sliding post incl. strengthening / hinge outside</div> <div data-bbox="1241 1055 1469 1131">System: SF55 Detail-No.: SF55-114</div>
<div data-bbox="164 1160 204 1205">D</div> <div data-bbox="443 1160 523 1189">OUTSIDE</div>  <div data-bbox="443 1989 523 2018">INSIDE</div> <div data-bbox="164 2040 566 2116">Description: Horizontal-Section, sliding post incl. strengthening / hinge inside</div> <div data-bbox="577 2040 805 2116">System: SF55 Detail-No.: SF55-122</div>	<div data-bbox="837 1160 877 1205">G</div> <div data-bbox="1114 1160 1193 1189">OUTSIDE</div>  <div data-bbox="1114 1989 1193 2018">INSIDE</div> <div data-bbox="829 2040 1232 2116">Description: Horizontal-Section, closing section - sliding post (e.g. 1L/2R) / outside folding</div> <div data-bbox="1241 2040 1469 2116">System: SF55 Detail-No.: SF55-115</div>

<p>G OUTSIDE</p> <p>INSIDE</p>	<p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Horizontal-Section, closing section - sliding post (e.g. 1L/2R) / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-116</p>	<p>Description: Horizontal-Section, bl. fr. - p. clos. section incl. sl. post (e.g. 2R) / outside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-117</p>
<p>OUTSIDE</p> <p>INSIDE</p>	<p>OUTSIDE</p> <p>INSIDE</p>
<p>Description: Horizontal-Section, bl. fr. - p. clos. section incl. sl. post (e.g. 2R) / inside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-118</p>	<p>Description: Horizontal-Section, profil section - sliding post (e.g. 2L/2R) / outside folding</p> <p>System: SF55</p> <p>Detail-No.: SF55-119</p>

