


25267 | 28 | 27

2526Z / 28 / 22  
4800



2526Z / 28 / 22

5268

TR2

5256

vÖ2

2768

TR1

2720

vÖ1

PR1





PR1

TR2


vÖ2

vÖ1







TR1



Dachbalken
Dachbretter
Elemente
Deckleiste




Den Einbau den  
Türen sollten Sie  
nach der 5-6  
Bohlenschicht  
vornehmen!!!



2526Z / 28 / 22


Wand 1 ↗




2526Z / 28 / 22







Wand B ↗



25262 / 28 / 22






Pos	Joonis	ST	F (mm)	L (mm)
001		1	28x114	5200
002		2	28x114	5200
003		1	28x62	5200
004		1	28x114	5000
005		18	28x114	5000
006		2	28x62	2700
007		1	28x62	2700
008		3	28x114	2700
009		1	28x114	2500
010		31	28x114	2500
011		2	28x57	2500
012		12	28x114	800
013		32	28x114	475
014		17	28x114	328
015		1	28x57	328
PR1		2	50x140	5200
016	Dachbretter	58	90x20	2697
017	Abdeckleiste		20x40	16m
vÖ2	Elemente	2	28x270	5256
vÖ1		2	28x270	2720
TR2	Deckleiste	2	70x20	5270
TR1		2	70x20	2770
P01	Pfosten	1	90x90	1985

2526Z / 28 / 22

F1

Fenster 900x670




3 mm klaas  
488x727

1

T1

Tür 1550x1870



Glas	1062x536=2st.
	kotike 1 kmpl.

1